





# SCREEN — DIVISION

# Portable acrylic screen

100% acrylic



Scan here to download the Screen Division data sheet



Powder Coated Frame- Colours available on request at an additional cost

Fabric

26mm Anodised Aluminium Frame

Clear Acrylic



Desk / Reception fitted screens with opening

Screens are custom made

26mm Aluminium Frame

# Floor Based Screens



Scan here to download the Screen Division data sheet



# Reticulation



Scan here to download the Screen Division data sheet




Double Reticulation  
Desk Based reticulation  
Above or below desk top option available

**PLUG SET - NOT INCLUDED**



Double or Single Reticulation Available

Only one side of reticulation opens per side for cable maintenance



Screen with Reticulation - Floor or desk based

Cable Divider to separate data and power



Plug Set - Spec Required for quotation plug sets are offset on opposite sides of screen when using double reticulation

**PLUG SET - NOT INCLUDED**

Z-Freestanding Foot



Scan here to  
download the Screen  
Division data sheet





Scan here to download the Screen Division data sheet




### Fabric -

Any fabric can be used provided that it is 1400 Width or more. Additional fabric required if it has a pattern.



### Sandblasted Vinyl (additional) -

4mm Clear toughend used in our 26mm Frame.  
5mm Clear Toughend used when frameless with Bullet brackets.



### Plexiglass Clear / Sandblasted / Solid -

3mm Clear / Frosted / Solid used in our 26mm frame.  
5mm used when frameless with Bullet brackets.




### Sandblasted Vinyl -

Vinyl available on glass, polycarbonate or Plexiglass. Standard sandblast vinyl is used for full frost or stripes. Full colour prints and logos available on request



### Magnetic Whiteboard -

A metal sheet that has been coated in white paint and treated to allow write and wipe.



### Pin Board under Fabric -

3mm SPX33 foam is used under the fabric to accommodate for pins and press-stud.



### Polycarbonate -

4mm clear used in our 26mm frame.



### Economy –Frameless Screen -

16mm chipboard covered with a stitched fabric bag and 2 economy brackets included. Above picture is our standard shape.



### Wooden Screen -

16mm Double faced melamine is used in our 26mm frame. Powder coating option available on request.



Scan here to  
download the Screen  
Division data sheet






Scan here to download the Screen Division catalogue



**I freestanding Foot -**  
Used to stabilize free standing screens from 1400mm (H) up to 1800mm (H)



**Mobile Foot -**  
Used to make screens mobile  
Only used on screens no wider than 1400mm or higher than 1400mm



**Cluster Bracket -**  
Used when installing front screens onto a cluster. - 80mm x 80mm fixing plate to accommodate metal leg structure or panel leg.



**Bullet Bracket -**  
Used when installing frameless plexiglass or glass screens.




**L-Bracket -**  
Used to attach floor based screens to under desk top.



**Double Cluster Bracket -**  
Used when installing front and side screens and a pole is used. 80mm x 160mm fixing plate to accommodate metal leg structure or panel leg.



**Left/Right Hand Bracket -**  
Desk top bracket - Used when installing a single front screen.



**Table Bracket-**  
Used in conjunction with our big centre extrusion. Bracket allows tops to be suspended and use screens as desk legs.


# Poles




Triangular Pole and Cap




Square Pole and Cap



**Screen to Screen Connector -**  
An H piece of aluminium is used to connect desk or floor based screens in a straight line.  
No pole needed.




**Screen to Pole Connector -**  
This connector is used in conjunction with the pole to create a 90 degree, 3-way or 4-way junction.



**3 Way Junction -**  
1 pole plus cap and 3 screen to pole connectors.



**4 Way Junction -**  
1 pole plus cap and 4 screen to pole connectors.




**90 Degree Junction -**  
1 pole plus cap and 2 screen to pole connectors.



**120 Degree Junction -**  
1 triangular pole plus cap and 3 screen to pole connectors.



Scan here to download the Screen Division data sheet





300mm w x 80mm H



Ceiling Cover for power panel



Wall Panel









Scan here to download the  
Screen Division catalogue







## About us

Seats Ahead Pty Ltd was started nearly 30 years ago in 1994. Incorporated brands include Chair Express, Furniko and Screen Division. The company manufactures and imports a wide range of office chairs, sofas, tub chairs, desking components, airport seating, restaurant tables and chairs, table tops, aluminium bistro items, and screens for desks and office. Operating out of a 10,000 m<sup>2</sup> in Johannesburg the company is ideally placed to service the South African and neighbouring county markets. The company is driven by a combination of competitive pricing, quality products and Service. Its wide customer base is serviced by dedicated and experienced staff, a strong trading history and a reliable network of carefully selected local and international suppliers. The company stays abreast of international trends that ensures its customers are in turn exposed to the very best that is available in the market that it trades in.

[www.seatsahead.co.za](http://www.seatsahead.co.za)





Scan here for Google maps

## 13<sup>th</sup> Edition

[www.seatsahead.co.za](http://www.seatsahead.co.za) • [www.screendivision.co.za](http://www.screendivision.co.za)

SHOWROOM | FACTORY | WAREHOUSE  
44 Hulbert Rd, Cnr Rosettenville Rd, New Centre, Johannesburg  
Tel: +27 11 434 0444